

# CB ELEMENT PARTS LISTS

THE PARTS LISTS IN THIS MANUAL APPLY TO STANDARD ELEMENT ASSEMBLIES ONLY. ELEMENTS USED ON SLIP OR HIGH-TORQUE APPLICATIONS WILL HAVE DIFFERENT COMPONENTS PARTS. CONSULT THE FACTORY TO ORDERING REPLACEMENT PARTS FOR ANY ELEMENT NOT APPEARING IN THESE PARTS LISTS.

## PARTS LISTS

### Single Element Assemblies

	Element Description	No. of Air Inlets	Part No. of Complete Element	ITEM													
				1 Elbow Assy.		1A QRV		2 Comp. Ring		3 Air Conn. Tube		4 Air Conn. Gasket		5 FSA	8 Shoe Pin	9 Lockwire	
				Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Part No.	Part No.	
4CB 200	Minus Side Connection	1	414361	---	---	---	---	---	---	---	---	---	---	---	---	---	
	90 Degree Elbow for use in PCB 206	1	142840JD	341 X 1	1	---	---	---	---	---	---	---	---	---	---	---	
	Side Connection	1	142840JB	131 X 33	1	---	---	87 X 27	1	202723	1	72 X 39	1	---	---	---	
6CB 200	Minus Side Connection	1	142095JA	---	---	---	---	---	---	---	---	---	---	307398 6 Req'd.	200356 12 Req'd.	412266-04 6 Req'd.	
	Minus Side Connection for use in PCB	1	142095JC	---	---	---	---	---	---	---	---	---	---				
	Minus Side Connection	2	142095JH	---	---	---	---	---	---	---	---	---	---				
	Side Connection	1	142095JB	131 X 11	1	---	---	131 X 20	1	9943	1	72 X 15	1				---
	Side Connection	2	142095JG		2	---	---		1		---						
	Side Connection and High Coefficient Lining	1	142095JN		1	---	---		1		---		303261 6 Req'd.				
8CB 250	Minus Side Connection	1	142096JA	---	---	---	---	---	---	---	---	---	307461 8 Req'd.	9434 16 Req'd.	412266-04 8 Req'd.		
	Minus Side Connection for use in PCB	1	142096JC	---	---	---	---	---	---	---	---	---				---	
	Minus Side Connection	2	142096JH	---	---	---	---	---	---	---	---	---				---	
	Side Connection	1	142096JB	131 X 11	1	---	---	131 x 20	1	9944	1	72 x 15				1	---
	Side Connection	2	142096JG		2	---	---		2		---						
	Side Connection and High Coefficient Lining	1	145096JN		1	---	---		1		---					303370 8 Req'd.	

	Element Description	No. of Air Inlets	Part No. of Complete Element	ITEM												
				1 Elbow Assy.		1A QRV		2 Comp. Ring		3 Air Conn. Tube		4 Air Conn. Gasket		5 FSA	8 Shoe Pin	9 Lockwire
				Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Part No.	Part No.
10CB 300	Minus Side Connection	1	142197JA	—	—	—	—	—	—	—	—	—	—	307348 10 Req'd.	9492 20 Req'd.	412266-04 10 Req'd
	Minus Side Connection for use in PCB	1	142197JC	—	—	—	—	—	—	—	—	—	—			
	Minus Side Connection	2	142197JH	—	—	—	—	—	—	—	—	—	—			
	Side Connection	1	142197JB	131 X 11	1	—	—	131x20	1	9944	1	72 x 15	1			
	Side Connection	2	142197JG		2	—	—		2		2					
	Side Connection and High Coefficient Lining	1	145097JN	1	—	—	1	1	1	1						
	Minus Side Connection High Coefficient Lining	1	145097JT	—	—	—	—	—	—	—	—	—	303197 10 Req'd.			
12CB 350	Minus Side Connection	1	142098JA	—	—	—	—	—	—	—	—	—	307436 12 Req'd.	9508 24 Req'd.	412266-04 12 Req'd.	
	Minus Side Connection for use in PCB	1	142098JC	—	—	—	—	—	—	—	—	—				
	Minus Side Connection	2	142098JH	—	—	—	—	—	—	—	—	—				
	Minus Side Connection Dual Drilled	2	142098KG	—	—	—	—	—	—	—	—	—				
	Quick Release Valve Dual Flange	2	142098KF	—	—	14506DF	2	—	—	—	—	—				
	Side Connection	1	142098JB	131 X 11	1	—	—	131 x 20	1	9944	1	72 x 15				1
	Side Connection	2	142098JG		2	—	—		2		2					2
	Side Connection and High Coefficient Lining	1	145098JN	1	—	—	1	1	1	1	303338 12 Req'd					
Side Connection for FSPA Mounting	2	142098JZ	131 X 12	2	—	—	131 x 21	2	201714	2	—	—	307436 12 Req'd.			
14CB 400	Minus Side Connection	1	142087JA	—	—	—	—	—	—	—	—	—	307400 14 Req'd.	8863 28 Req'd.	412266-04 14 Req'd.	
	Minus Side Connection for use in PCB	1	142087JC	—	—	—	—	—	—	—	—	—				
	Minus Side Connection	2	142087JH	—	—	—	—	—	—	—	—	—				
	Minus Side Connection Dual Drilled	2	142087KG	—	—	—	—	—	—	—	—	—				
	Side Connection	1	142087JB	131 X 11	1	—	—	131 x 20	1	9944	1	72 x 15				1
	Side Connection	2	142087JG		2	—	—		2		2					2
	Side Connection for FSPA Mounting	2	142087JZ	131 X 12	2	—	—	13 1x 21	2	201714	2					—

	Element Description	No. of Air Inlets	Part No. of Complete Element	ITEM											5 FSA Part No.	8 Shoe Pin Part No.	9 Lockwire Part No.
				1 Elbow Assy.		1A QRV		2 Comp. Ring		3 Air Conn. Tube		4 Air Conn. Gasket					
				Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.				
16CB 500	Minus Side Connection	1	142211KY	—	—	—	—	—	—	—	—	—	—	41467 10 Req'd	9716 20 Req'd	412266-03 10 Req'd	
	Minus Side Connection Dual Drilled	1	142211KS	—	—	—	—	—	—	—	—	—	—				
	Minus Side Connection	4	142211KZ	—	—	—	—	—	—	—	—	—	—				
	Side Connection	1	142211KM	92 X 6	1	—	—	87 X 12	1	8518	1	72 X 11	1				
	Side Connection Dual Drilled	1	142211LH		1	—	—	1	1								
	Side Connection	2	142211LB		2	—	—	2	2								
	Side Connection	4	142211KP		4	—	—	4	4								
	Side Connection for FSPA Mounting	4	142211LD		4	—	—	4	4								
	Quick Release Valve	1	142211KN	—	—	145406DF	1	1	1	1							
	Quick Release Valve	2	142211LK	—	—		2	2	2	2							
	Quick Release Valve	4	142264KR	—	—		4	4	4	4							
18CB 500	Minus Side Connection	1	142264KY	—	—	—	—	—	—	—	—	—	414745 11 Req'd	9716 22 Req'd	412266-03 11 Req'd		
	Minus Side Connection Dual Drilled	1	142264KS	—	—	—	—	—	—	—	—	—					
	Minus Side Connection	4	142264KZ	—	—	—	—	—	—	—	—	—					
	Side Connection	1	142264KM	92 X 6	1	—	—	87 X 12	1	8518	1	72 X 11				1	
	Side Connection Dual Connection	1	142264LH		1	—	—		1		1						
	Side Connection Turned Down Flange	1	142264KX		1	—	—		1		1						
	Side Connection	2	142264LB		2	—	—		2		2						
	Side Connection	4	142264KP		4	—	—		4		4						
	Quick Release Valve	1	142264KN	—	—	145406DF	1	1	1	1							
	Quick Release Valve	2	142264LK	—	—		2	2	2	2							
	Quick Release Valve	4	142264KR	—	—		4	4	4	4							
20CB 500	Minus Side Connection	1	142265KY	—	—	—	—	—	—	—	—	—	414770 12 Req'd	9716 24 Req'd	412266-03 11 Req'd		
	Minus Side Connection Dual Drilled	1	142265KS	—	—	—	—	—	—	—	—	—					
	Minus Side Connection	4	142265KZ	—	—	—	—	—	—	—	—	—					
	Side Connection	1	142665KM	92 X 6	1	—	—	87 X 12	1	8518	1	72 X 11				1	
	Side Connection Dual Drilled	1	142265LH		1	—	—		1		1						
	Side Connection	2	142265LB		2	—	—		2		2						
	Side Connection	4	142265KP		4	—	—		4		4						
	Side Connection FSPA Mounting	4	142265LD		4	—	—		4		4						
	Quick Release Valve	1	142265KN	—	—	145406DF	1	1	1	1							
	Quick Release Valve	4	142265KR	—	—		4	4	4	4							

	Element Description	No. of Air Inlets	Part No. of Complete Element	ITEM											5 FSA Part No.	8 Shoe Pin Part No.	9 Lockwire Part No.
				1 Elbow Assy.		1A QRV		2 Comp. Ring		3 Air Conn. Tube		4 Air Conn. Gasket					
				Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.				
22CB 500	Minus Side Connection	1	142266KY	—	—	—	—	—	—	—	—	—	—	414771 13 Req'd	9716 26 Req'd.	412266-03 13 Req'd.	
	Minus Side Connection Dual Drilled	1	142266KS	—	—	—	—	—	—	—	—	—	—				
	Side Connection	1	142266KM	92 X 6	1	—	—	87 X 12	1	8518	1	72 X 11	1				
	Side Connection Dual Drilled	1	142266LH		1	—	—		1								
	Side Connection Turned Down Flange	1	142266KX		1	—	—		1								
	Side Connection	4	142266KP		4	—	—		4								
	Quick Release Valve	1	142266KN		—	—	145406DF		1		1		1				1
	Quick Release Valve	2	142266LK	—	—	—	2	2	2	2							
	Quick Release Valve	4	142266KR	—	—	—	4	4	4	4							
24CB 500	Minus Side Connection1	1	142267KY	—	—	—	—	—	—	—	—	—	414771 14 Req'd.	9716 28 Req'd.	412266-03 14 Req'd.		
	Minus Side Connection Dual Drilled	1	142267KS	—	—	—	—	—	—	—	—	—					
	Minus Side Connection	4	142267KZ	92 X 6	—	—	—	87 x 12	—	8518	—	72 x 11				—	
	Side Connection	1	142267KM		1	—	—		1								
	Side Connection Dual Drilled	1	142267LH		1	—	—		1								
	Side Connection	2	142267LB		2	—	—		2								
	Side Connection	4	142267KP		4	—	—		4								
	Minus Side Connection for FSPA Mounting	4	142267LD	4	—	—	4										
	Quick Release Valve	1	142267KN	—	—	145406DF	1	1	1	1							
Quick Release Valve	4	142267KR	—	—	—	4	4	4	4								
26CB 525	Minus Side Connection	1	142268KY	—	—	—	—	—	—	—	—	—	414772 16 Req'd.	9513 32 Req'd.	412266-02 16 Req'd.		
	Minus Side Connection Dual Drilled	1	142268KS	—	—	—	—	—	—	—	—	—					
	Minus Side Connection1	4	142268KZ	92 X 7	—	—	—	87 X 14	—	8507	—	72 X 12				—	
	Side Connection	1	142268KM		1	—	—		1								
	Side Connection Dual Drilled	1	142268LH		1	—	—		1								
	Side Connection	2	142268LB		2	—	—		2								
	Side Connection	4	142268KP		4	—	—		4								
	Quick Release Valve	1	142268KN	—	—	145407DF	1	1	1	1							
	Quick Release Valve	4	142268KR	—	—	—	4	4	4	4							

	Element Description	No. of Air Inlets	Part No. of Complete Element	ITEM												5 F S A Part No.	8 Shoe Pin Part No.	9 Lockwire Part No.
				1 Elbow Assy.		1A QRV		2 Comp. Ring		3 Air Conn. Tube		4 Air Conn. Gasket						
				Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.					
28CB 525	Minus Side Connection	1	142269KY	—	—	—	—	—	—	—	—	—	—	414773 17 Req'd.	9513 34 Req'd.	412266-02 17 Req'd.		
	Minus Side Connection Dual Drilled	1	142269KS	—	—	—	—	—	—	—	—	—	—					
	Minus Side Connection	4	142269KZ	—	—	—	—	—	—	—	—	—	—					
	Side Connection	1	142269KM	92 X 7	1	—	—	87 X 14	1	8507	1	72 x 12	1					
	Side Connection Dual Drilled	1	142269LH		1	—	—		1		1							
	Side Connection	2	142269LB		2	—	—		2		2							
	Side Connection	4	142269KP		4	—	—		4		4							
	Side Connection for FSPA Mounting	4	142269LD		4	—	—		4		4							
	Quick Release Valve	1	142269KN	—	—	145407DF	1	1	1	1	1	1						
Quick Release Valve	4	142269KR	—	—	4		4	4	4	4	4							
30CB 525	Minus Side Connection	1	142270KY	—	—	—	—	—	—	—	—	—	414774 18 Req'd.	9513 36 Req'd.	412266-02 18 Req'd.			
	Minus Side Connection Dual Drilled	1	142270KS	—	—	—	—	—	—	—	—	—						
	Side Connection	1	142270KM	92 X 7	1	—	—	87 X 14	1	8507	1	72 x 12				1		
	Side Connection Dual Drilled	1	142270LH		1	—	—		1		1							
	Side Connection	4	142270KP		4	—	—		4		4							
	Quick Release Valve	1	142270KN	—	—	145407DF	1	1	1	1	1							
Quick Release Valve	4	142270KR	—	—	4		4	4	4	4								
32CB 525	Minus Side Connection	1	142271KY	—	—	—	—	—	—	—	—	—	414775 19 Req'd.	9513 38 Req'd.	412266-02 19 Req'd.			
	Minus Side Connection Dual Drilled	1	142271KS	—	—	—	—	—	—	—	—	—						
	Minus Side Connection	4	142271KZ	—	—	—	—	—	—	—	—	—						
	Side Connection	1	142271KM	92 X 7	1	—	—	87 X 14	1	8507	1	72 x 12				1		
	Side Connection Dual Drilled	1	142271LH		1	—	—		1		1							
	Side Connection	2	142271LB		2	—	—		2		2							
	Side Connection	4	142271KP		4	—	—		4		4							
	Quick Release Valve	1	142271KN	—	—	145407DF	1	1	1	1	1							
Quick Release Valve	4	142271KR	—	—	4		4	4	4	4								

	Element Description	No. of Air Inlets	Part No. of Complete Element	ITEM										5 FSA Part No.	8 Shoe Pin Part No.	9 Lockwire Part No.
				1 Elbow Assy.		1A QRV		2 Comp. Ring		3 Air Conn. Tube		4 Air Conn. Gasket				
				Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.	Part No.	Qty.			
36CB 525	Minus Side Connection	1	142272KY	—	—	—	—	—	—	—	—	—	414775 22 Req'd.	9513 44 Req'd.	412266-02 22 Req'd.	
	Minus Side Connection Dual Drilled	1	142272KS	—	—	—	—	—	—	—	—	—				
	Side Connection	1	142272KM	92 X 8	1	—	87 X 16	1	8501	1	72 x 13	1				
	Side Connection Dual Drilled	1	142272LH		1	—		1		1						
	Side Connection	4	142272KP		4	—		4		4						
	Quick Release Valve	1	142272KN	—	—	145141DE	1	1	1	1	1	1				
	Quick Release Valve	4	142272KR	—	—	—	4	4	4	4	4	4				
40CB 525	Minus Side Connection	1	142273KY	—	—	—	—	—	—	—	—	414776 24 Req'd.	9513 48 Req'd.	412266-02 24 Req'd.		
	Minus Side Connection Dual Drilled	1	142273KS	—	—	—	—	—	—	—	—					
	Side Connection	1	142273KM	92 X 8	1	—	87 X 16	1	8501	1	72 x 13				1	
	Side Connection Dual Drilled	1	142273LH		1	—		1		1						
	Side Connection	2	142273LB		2	—		2		2						
	Side Connection	4	142273KP	4	—	4	4	4	4	4	4					
	Quick Release Valve	1	142273KN	—	—	145141DE	1	1	1	1	1					
Quick Release Valve	4	142273KR	—	—	—	4	4	4	4	4						
45CB 525	Minus Side Connection	2	142081LX	—	—	—	—	—	—	—	—	414775 27 Req'd.	9513 54 Req'd.	412266-02 27 Req'd.		
	Minus Side Connection Dual Drilled	2	142081MT	—	—	—	—	—	—	—	—					
	Side Connection	1	142081KM	92 X 8	1	—	87 X 16	1	8501	1	72 x 13				1	
	Side Connection	2	142081LB		2	—		2		2						

## Dual Element Assemblies

ITEM						
	Element Description	Part No. of Complete Element	Inner Element*	Outer Element*	6	7
					Air Tube Group	Spacer Group
12CB400	Two Side Connections	142731DA	142098KG	142098KG	—	—
14CB400	Two Side Connections	142604DA	142087KG	142087KG	106345	106350
16CB500	Two Side Connections	142432DA	142211KS	142211KY	106346	106351
	Two Quick Release Valves	142432DD			106346B	
18CB500	Two Side Connections	142433DA	142264KS	142264KY	106346	106352
	Two Quick Release Valves	142433DD			106346B	
20CB500	Two Side Connections	142434DA	142265KS	142265KY	106346	
	Two Quick Release Valves	142434DD			106346B	
22CB500	Two Side Connections	142435DA	142266KS	142266KY	106346	
	Two Quick Release Valves	142435DD			106346B	
24CB500	Two Side Connections	142436DA	142267KS	142267KY	106346	106353
	Two Quick Release Valves	142436DD			106346B	
26CB525	Two Side Connections	142437DA	142268KS	142268KY	106347	106354
	Two Quick Release Valves	142437DD			106347B	
28CB525	Two Side Connections	142438DA	142269KS	142269KY	106347	106355
	Two Quick Release Valves	142438DD			106347B	
30CB525	Two Side Connections	142439DA	142270KS	142270KY	106347	106356
	Two Quick Release Valves	142439DD			106347B	
32CB525	Two Side Connections	142440DA	142271KS	142271KY	106347	
	Two Quick Release Valve	142440DD			106347B	
36CB525	Two Side Connections	142441DA	142272KS	142272KY	106348	106357
	Two Quick Release Valve	142441DD			106348B	
40CB525	Two Side Connections	142442DA	142273KS	142273KY	106348	106358
	Two Quick Release Valve	142442DD			106348B	
45CB525	Four Side Connections	142443DK	142081MT	142081LX	106348 2 Req'd.	106359
	Four Quick Release Valves	142443DL			106348B 2 Req'd.	

\*Notes: The inner element is that which both the short and long air tubes pass through.  
 To find part numbers of components, locate the element number in the parts list for single element application. Find the part numbers in the corresponding item column.

## REPAIR KITS

### Friction Shoe, Shoe Pin and Lockwire Kits

<b>ELEMENT SIZE</b>	<b>KIT NUMBER</b>	<b>QTY. FRICTION SHOES</b>	<b>QTY. SHOE PINS</b>	<b>QTY.* LOCKWIRES</b>
6CB200	146234A	6	12	6
8CB250	146234B	8	16	8
10CB300	146234C	10	20	10
12CB350	146234D	12	24	12
14CB400	146234E	14	28	14
16CB500	146234F	10	20	10
18CB500	146234G	11	22	11
20CB500	146234H	12	24	12
22CB500	146234J	13	26	13
24CB500	146234K	14	28	14
26CB525	146234L	16	32	16
28CB525	146234M	17	34	17
30CB525	146234N	18	36	18
32CB525	146234P	19	38	19
36CB525	146234Q	22	44	22
40CB525	146234R	24	48	24
45CB525	146234S	27	54	27

\* Extra lockwires supplied with each kit.